

To check the current data pool (Autodelete) settings go to -  
***Programmatic Interface - Sessions - Show AutoDelete***

To check total available memory for data storage go to -  
***Data Logging Status***

Look mid-page for a line similar to -

**“Logging Space: 776.156 Mbytes Used. 98.742 Mbytes Available”**

Logging Space + Available = Total. If the receiver has a 1GB card Total should be approximately 875MB. The sum of all pool sizes can be no larger than this Total.

**Note:**

!!! Before clicking on “Set AutoDelete” uncheck the “AutoSubmit” button!!!!

To change the data pool (Autodelete) settings go to -  
***Programmatic Interface - Sessions - Set AutoDelete***

Enter the proper command in the send window then click the “Send” button.  
The syntax for the command is as follows.

Example - **Set?AutoDelete Reserved=1,yes a=500,yes Default=50,yes**

**Set?**

<- Required 'Set' command start syntax.

**AutoDelete Reserved=1,yes**

<- Sets the minimum amount of free data logging space (Reserved) in MB. In this example it is set to **1**MB. The **yes** sets AutoDelete to ON.

**a=500,yes**

<- Sets pool name (**a**), sets pool size in MB (**500**), and sets AutoDelete to ON (**yes**).

**Default=50,yes**

<- Sets pool name (**Default**), sets pool size in MB (**50**), and sets AutoDelete to ON (**yes**).

Example 2 - **Set?AutoDelete Reserved=10,yes a=200,yes b=200,yes c=395,yes m=5,yes**

- sets minimum reserve space to 10MB and enables
- sets pool a to autodelete after 200MB and enables
- sets pool b to autodelete after 200MB and enables
- sets pool c to autodelete after 395MB and enables
- sets pool m to autodelete after 5MB and enables